



Website :www.biochem.com.my
E-mail :lab@biochem.com.my
info@biochem.com.my

BIOCHEM Laboratories Sdn Bhd

197701004450 (35527-T)

Menara Perdana, 101-07-03,
Jalan Gurdwara, 10300 Penang, Malaysia.
Tel: 04 2262612 (Hunting Lines)
Fax: 04 2266612

Page : 1 of 1
Issue Date : 29-Oct-2025
Lab Ref. No. : BC/L2510/1046-0

Yummykai Enterprise

22B, Jalan Jones,
Kampung Syed,
10250 Pulau Tikus, Pulau Pinang

CERTIFICATE OF ANALYSIS

Sample Received Date : 22-Oct-2025
Sample Description : Chicken Egg

RESULT(S) OF ANALYSIS

Parameter(s)	Unit	Result(s)	Method
Total Plate Count @ 35°C for 48 hrs	cfu/g	ND (<10)	FDA-BAM CHAPTER 3, 2001
Coliform count	MPN/g	ND (0)	FDA-BAM CHAPTER 4, 2002
<i>Escherichia coli</i>	MPN/g	ND (0)	FDA-BAM CHAPTER 4, 2002
Coagulase Positive Staphylococcus aureus @ 37°C for 48 hrs	MPN/g	ND (0)	FDA-BAM Chapter 12, 2001
<i>Salmonella</i>	in 25g	absent	FDA-BAM CHAPTER 5, 2018
<i>Bacillus cereus</i>	MPN/g	ND (<3)	FDA-BAM CHAPTER 14, 2012
<i>Listeria monocytogenes</i>	in 25 gram sample	absent	FDA-BAM CHAPTER 10, 1995

Remark(s):

1. ND denotes Not Detected.
2. Results that are prefixed with '<' indicate the lowest level at which the analyte can be reported.

Yeoh Hooi Theng

Microbiologist/ Food Analyst
B. Sc. (Biochemistry) MJMM 0240

- End of Report -

This Test Report is provided solely for informational purposes and is not to be construed as providing legal advice, recommendations or warranties of any kind whatsoever. The Test Report is prepared according to our standard testing requirements and based solely on the samples submitted by you. We have made every reasonable effort to ensure the accuracy and reliability of the information provided herein. However, we shall not be deemed to have warranted or guaranteed the accuracy and reliability of the results contained in the Test Report under whatsoever circumstances. Neither shall we be liable and responsible for any loss or damage of whatever nature (direct, indirect, incidental, economical, punitive and consequential) caused or alleged to be caused by or in connection with and arising out of the use of or reliance on this Test Report.



FOSFA
INTERNATIONAL

ANALYTICAL CHEMISTS • MICROBIOLOGICAL TESTING • INDUSTRIAL HYGIENE

NOT FOR PURPOSES OF ADVERTISEMENT

Copyright of this report is owned by the issuing laboratory
and may not be reproduced other than in full except
with the prior written approval of the issuing laboratory